## Narragansett Bay Commission Pretreatment Program

#### 2006 Annual Report Summary



## Report Period: January 1, 2006 – December 31, 2006

## Significant Industrial Users:

- 110 Total SIUs
- 55 SIUs in Field's Point
- 49 SIUs in Bucklin Point

## **User Permitting:**

- 401 Permits issued in 200
- 191 New permits issued to previously unpermitted firms
- 210 Revised permits issued

# **Inspection and Sampling Programs:**

- 2,106 Non-sampling inspections conducted
- 516 Non-sampling inspections of Significant Industrial Users
- 403 Non-sampling inspections of categorical users
- 113 Non-sampling inspections of significant non-categorical users
- 1,589 Non-sampling inspections of non-significant users
- 31 Regulatory Compliance meetings held with users
- 58 Emergency/Special Investigations Conducted
- 287 User Samples Collected by NBC in 2004
- 266 NBC Sampling Inspections of Industry
- 122 Different Facilities Sampled by NBC
- 244 Sampling Inspections of Significant Users Conducted
- 188 Sampling Inspections of Categorical Users Conducted
- 56 Sampling Inspections of Significant Non-Categorical Users Conducted
- 43 Sampling Inspections of Non-Significant Users Conducted
- 391 Manhole Sampling Events Conducted
- 341 Industrial Surveillance Manhole Samples Collected
- 190 Industrial Surveillance Manholes Sampled in Bucklin Point
  00.0% Compliance Pate
  - > 90.0% Compliance Rate
- 151 Industrial Surveillance Manholes Sampled in Field's Point
  - ➢ 87.4% Compliance Rate
- 39 Sanitary Manhole Sampling Events Conducted

#### **Enforcement Program:**

- 2,382 Notice of Violation (NOV) Letters Issued
- 1,524 NOVs issued to Field's Point Users
- 856 NOVs issued to Bucklin Point Users
- \$51,000 in Administrative Penalties Collected
- 15 Firms Listed in March 1, 2007 Public Notice in the Providence Journal as being in Significant Non-Compliance (SNC)
- 4.9% Rate of Significant Non-Compliance (SNC) in the Field's Point District in 2006, a reduction from 39% in 1992
- 10.2% Rate of SNC in the Bucklin Point District in 2006, a reduction from 44.8% in 1994
- 7.3& Overall Rate of SNC in both districts in 2006

## **Review of User Monitoring Data:**

- Pretreatment Staff Reviewed 3,614 User Monitoring Reports
- 94.8% Overall Rate of Compliance for All Significant Users
- 95.4% Overall Rate of Compliance for All Categorical Users
- 95.4% Overall Rate of Compliance for All Non-Significant Users
- 95.0% Overall Rate of Compliance for All Users
- 52.9% of EPA categorically regulated users had perfect effluent compliance records with all effluent parameters excluding pH
- 57.3% of Significant Users <u>AND</u> 86.1% of <u>all</u> users had perfect effluent compliance records with effluent pollutants excluding pH
- Rate of Significant Non-Compliance (SNC) has been significantly reduced in both sewerage districts over the past few years through Pretreatment's User Education Methods

# Summary of Toxic Loadings to WWTFs

Pollutant	2005 (pounds)	2006 (pounds)	Total Pound Change	% Change
Total Cadmium	130.8	121.3	-9.5	-7.3%
Total Chromium	893.4	1,097.4	204.0	22.8%
Total Copper	7,361.4	8,392.3	1,030.9	14.0%
Total Lead	1,718.6	2,027.7	309.1	18.0%
Total Mercury	13.3	10.8	-2.5	-18.8%
Total Nickel	4,549.7	4,980.7	431.0	9.5%
Total Silver	590.1	573.6	-16.5	-2.8%
Total Zinc	15,449.7	15,385.1	-64.6	-0.4%
Total Metals	30,707.0	32,588.9	1,881.9	6.1%
Total Cyanide	3,792.2	2,662.2	-1,130.0	-29.8%

# **Comparison of 2005 - 2006 Annual Loadings to Field's Point**

# **Comparison of 2005 - 2006 Annual Loadings to the Bucklin Point**

Pollutant	2005 (Pounds)	2006 (Pounds)	Difference In Pounds	Percent Change
Total Cadmium	25.7	23.5	-2.2	-8.6%
Total Chromium	1,099.1	3,081.9	1,982.9	180.4%
Total Copper	4,734.0	4,976.0	242.0	5.1%
Total Lead	706.6	767.1	60.5	8.6%
Total Mercury	5.6	4.5	-1.1	-19.6%
Total Nickel	2,684.8	2,686.3	1.5	0.1%
Total Silver	223.2	249.8	26.6	11.9%
Total Zinc	8,768.4	8,770.9	2.5	0.03%
Total Metals	18,247.4	20,560.1	2,312.7	12.7%
Total Cyanide	754.0	537.4	-216.6	-28.7%